





200%

INCREASE AUDIENCE RETENTION RATE 63%

MORE PEOPLE SAY THAT DIGITAL SIGNAGE CATCHES THEIR EYE 30%

INCREASE SALES WHEN USING DIGITAL SIGNAGE 26%

INCREASE FOOTFALL
DUE TO DIGITAL
SIGNAGE
INSTALLATIONS
AT RETAIL STORES

60%

BUYING DECISIONS ARE MADE AT POINT OF SALE

# -TABLE OF CONTENTS -

OVERVIEW	6
INDUSTRY STATISTICS FOR RETAILERS USING DIGITAL SIGNAGE	6
INSTALLATION	7
HARDWARE & TECHNICAL SPECIFICATIONS	8
ULTRA HIGH-BRIGHTNESS WINDOW DISPLAYS	9
UH-B HANGING DOUBLE-SIDED DISPLAYS	10
UH-B WINDOW DISPLAYS	14
A TOTAL SOLUTION	18

# **OVERVIEW**



# -OVERVIEW -

A digital signage solution to fulfill current and future requirements as outlined below:

- To enhance the customer shopping experience with visually stimulating signage which will increase engagement
- To utilise data capture and feedback to drive future marketing strategies
- Replace printed posters with profitable advertising space
- Display engaging content to showcase products and special offers
- Content Managerment System (CMS) to give autonomy from a central location to manage multiple remote screens ensuring consistency of brand and messaging
- To support enhanced technical applications planned for the future

# -INDUSTRY STATISTICS FOR RETAILERS USING DIGITAL SIGNAGE -

- 26% rise in footfall where digital signage is deployed
- Digital Signage adds an upswing in overall sales volume by 31.8%
- 8/10 customers have entered a store because of a digital sign catching their interest
- Over 40% of shoppers say that digital displays can change what they buy because relevant information is served close to the point of purchase.
- 19% of viewers made an unplanned purchase of something promoted digitally in a retail setting
- If given a choice, 42% of retail video viewers would prefer to shop at stores that have video displays
- Digital Signage reduces perceived waiting times at checkout by as much as 35%
- 29% of customers find digital menus influential for purchase of product
- Digital media in public venues reaches more customers than videos on the Internet or Facebook.
- 4 out of 5 brands noticed a 33% increase in sales after adopting digital signage

# -INSTALLATION-

Our experienced and approved fitting crews are based in the Midlands, North and South and are managed by the principal contractor who has overall responsibility for the installation.

Installations include:

- Mechanical fixing of all bracketry and hanging systems
- Installation of hardware
- Screen connection to the site network and CMS portal

Agreed content will be published to screens once we are notified of works completion.

**Please note**: Deployment is subject to the final agreed proposal and site survey results. For multi-screen installations or short deadlines additional crews may be required.

Our installations teams also have specialist capability in electrical and data cabling.

### **HEALTH AND SAFETY**

A compresheive set of Risk Assessments and Method Statements (RAMS) will be completed for each site including relevant certificates and insurances. ALL MEDIA GROUP FITTING CREWS ARE FULLY BRIEFED PRIOR TO INSTALLATION. Samples are available on request



# HARDWARE & TECHNICAL SPECIFICATIONS



ULTRA HIGH-BRIGHTNESS WINDOW DISPLAYS TECHNICAL SPECIFICATION



# **ULTRA HIGH BRIGHTNESS HANGING DOUBLE-SIDED DISPLAY**

**OVERVIEW** 

55"

# **Perfect for Window Displays**

With a **3,500cd/m2** outward-facing screen to combat direct sunlight and a **1,000cd/m2** inward-facing screen to combat brightly-lit indoor spaces, these dual-sided displays are designed for shopfront windows. On top of this, they are also ultra resistant to blackening defect up to 110 °C.





3,500cd/m<sup>2</sup>
Outward Facing Screen


1,000cd/m<sup>2</sup>
Inward Facing Screen

## **Lightweight Slim Enclosure**

Thanks to their streamlined design, these innovative displays feature a slim depth, minimal cord clutter, and high energy efficiency. Plus, not only is the aluminium enclosure incredibly lightweight for easy installation, it also has high thermal conductivity. This allows rapid heat loss, improving overall performance and increasing lifespan.









3,500cd/m<sup>2</sup>& 1,000cd/m<sup>2</sup> Double-Sided



Freestanding Version



**Smart Temperature Control** 



Integrated Android Media Player



Plug and Play



**Network Upgrade** 



24/7 Commercial Use



3-Year Warranty



Lifetime Tech Support

# **FEATURES**



### **Ultra Resistant to Blackening Defect**

Thanks to their special ultra-high brightness panels, these displays can withstand surface temperatures up to 110oC without suffering from any blackening defect. This is crucial for outward-facing window displays, which must contend with exposure to direct sunlight.



## **Integrated Android Media Player**

The integrated Android media player allows you to easily update on-screen content via USB plug and play. Alternatively, upgrade your screen to be networked without needing any additional hardware to unlock our cloud-based CMS software. Third-party software can be installed instead if required.



### **Smart Temperature Control**

The responsive internal airflow system keeps the panel and other internal components at optimum working temperature. This ensures a long and reliable life for your screen, even when used continuously in outward-facing windows.



### **Other Colours Available**

Although these displays come in crisp white as standard, which offers a clean, modern aesthetic making them ideal for environments such as retail stores and pharmacies, the enclosure can also be customised to any colour you desire.



# **Freestanding Option Available**

For projects where hanging installation is not possible, these versatile displays can also be transformed into a freestanding solution using the optional floor stand. No matter which mounting option you go for, an easy install is guaranteed.



### **Different Content on Each Side**

When using our user-friendly online CMS software, you can really capitalise on the duality of these displays by broadcasting different content on each side. Tailor your messaging to people inside and outside the building for maximum effectiveness.



### **Accessible Ports**

To prevent tampering, the AV ports are recessed into the top of the enclosure. However, they are still accessible for easy content updates via USB plug and play. This design strikes the perfect balance between user-friendliness and commercial use.



### 24/7 Commercial Use

With commercial grade LCD panels, LED backlights and internal components, these displays have the ability to be in constant use 24/7 for over 70,000 hours. They also have no external buttons or controls to avoid tampering.





# **KEY FEATURES**









PLUG AND PLAY



3,500CD/M<sup>2</sup> & 1,000CD/M <sup>2</sup> DOUBLE-SIDED



ULTRA RESISTANT TO BLACKENING DEFECT





LIGHTWEIGHT ALUMINIUM ENCLOSURE



EASY INSTALL

OPTIONAL NETWORK UPGRADE


















# TECHNICAL SPECIFICATION

		55 Inch			
	Resolution	1920x1080			
	Display Area (mm)	680.4x1209.6			
	Aspect Ratio	16:9			
Panel	Side A Brightness (cd/m²)	3,500			
	Side B Brightness (cd/m²)	1,000			
	Colour	16.7M			
	Viewing Angle	178°			
	Contrast Ratio	5000:1			
Audio	Speaker Type	8W, 8Ω (x2)			
	Video	HDMI, VGA			
AV Inputs/Outputs	Audio	Audio Socket (3.5mm)			
Power	Power Consumption (W)	TBC			
	Input Voltage	AC110~240V (50Hz~60Hz)			
	Screen Unit Size (WxHxD mm)	784x1305x80 (Excludes Ceiling Mount)			
	Package Size (WxHxD mm)	TBC			
Mechanical	Hanging Height Adjustable Range	1805mm or 2305mm			
	Net Weight (kg)	TBC			
	Gross Weight (kg)	TBC			
	Operating Temperature	0 °C to 50 °C			
	Storage Temperature	-30°C to 60°C			
Environmental	Operating Humidity	10% to 80%			
	Storage Humidity	5% to 95%			
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
	Media Resolution	1920x1080/1080x1920			
	Internal Memory	6GB			
	CPU	Rockchip RK3288 + Quad-Core Cortex-A17@1.61GHz			
	GPU	ARM Quad Mali-764			
	RAM	2GB HYNIX DDR3			
Computer	Internal Storage	8GB eMMC			
	USB	USB2.0 HOST (x2)			
	LAN	10/100M Ethernet (Network Version Only)			
	Wi-Fi	802.11b/g/n/ac (Network Version Only)			
	os	Android 5.1.1			
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1			
Accessories	Included	Scheduling Software, Remote Control, User Manual			
	Optional	Floor Stand Version			
Warranty	Warranty Period	3 Year Warranty			
	Technical Support	Lifetime			





# **ULTRA HIGH BRIGHTNESS WINDOW DISPLAYS**

**OVERVIEW** 

43"

49"

55"

65"

# 3,500cd/m<sup>2</sup> Direct Sunlight Readable

Designed for shopfront windows, these displays feature commercial grade ultra-high brightness panels (3,500cd/m²) that are up to 10 times brighter than domestic televisions. This ensures that content really stands out, even the brightest direct sunlight.





450cd/n³



3,500cd/m

# Sleek Thin Bezel



Smart Temperature Control



**Lightweight Enclosure** 



Landscape or Portrait



**Integrated Android Media Player** 



24/7 Commercial Grade



**External Light Sensor** 



Polarised Lens Viewable\*



3-Year Warranty



Lifetime Technical Support

Ultra Resistant to Blackening Defect (up to 110°C)

Thanks to their special ultra-high brightness panels, these displays can withstand surface temperatures up to 110oC without suffering from any blackening defect. This is crucial for outward-facing window displays, which must contend with exposure to direct sunlight.







80°C

\*Fycludes 65" Model

# **ULTRA HIGH BRIGHTNESS WINDOW DISPLAYS**

# **FEATURES**

43"

49"


55"

65"

### **Smart Temperature Control System**

The responsive internal airfl ow system keeps the panel and other internal components at opti mum working temperature. This ensures a long and reliable life for your screen, even when used conti nuously in outward-facing windows.





## **Stylish Lightweight Enclosure**

By utilising aluminium for the front frame of the enclosure, these displays have a high thermal conductivity for rapid heat loss and are lightweight for easy installation. This is enhanced by the integrated rear handles, which makes install even easier. The back case is made of robust mild steel for added durability.





### **IPS Panel**

Commercial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ulti mate lifelike colour temperature and a super-high contrast rati o when used in either landscape or portrait.





### **Sleek Thin Bezel**

The narrow bezel not only gives these displays a stylish, modern aestheti c, but also means maximum att enti on is drawn to the onscreen content for high impact messaging.



### **Ambient Light Sensor**

These displays include an external ambient light sensor for use when required. This ensures the screen is always operating at the most suitable brightness for its environment. The external nature of this sensor also enables seamless kiosk in tegration.



# 24/7 Commercial Use

With a commercial grade LCD panel, LED backlight and internal components, these displays have the ability to be in constant use 24/7 for over 70,000 hours. They also have no external butt ons or controls to avoid tampering.





# **Integrated Android Media Player**

The integrated Android media player allows you to easily update on-screen content via USB plug and play. Alternatively, upgrade your screen to be networked without needing any additional hardware to unlock our cloud-based CMS soft ware. Third-party soft ware can be installed instead if required.





### **Viewable Through Polarised Lenses\***

Unlike standard LCD panels, which appear very dark or even completely black if viewed while wearing polarised glasses, these specialised displays remain completely visible. This gives total confi dence that no one will miss your messages.





# **ULTRA HIGH BRIGHTNESS WINDOW DISPLAYS**

**KEY FEATURES** 









LIGHTWEIGHT ENCLOSURE









24/7 IPS PANEL

3,500CD/M2 SUNLIGHT READABLE

SMART TEMPERATURE CONTROL





SUPER HIGH CONTRAST RATIO

POWER TIMER

USB PLUG AND PLAY

OPTIONAL NETWORK UPGRADE


















# TECHNICAL SPECIFICATION

		43 Inch	49 Inch	55 Inch	65 Inch			
	Resolution		1920x1080					
	Bezel Size (mm)		8.8 18					
	Display Area (mm)	941.18x529.42	1073.8x604	1209.6x680.4	1428.5x803.5			
Panel	Aspect Ratio		16:9					
	Brightness (cd/m²)	3,500						
	Colour	16.7M						
	Viewing Angle	178°						
	Contrast Ratio	1,100:1	1,300:1	1,000:1	TBC			
	Blackening Defect Free	Up to 110°C (230°F)						
Manua	Video		HDMI, VGA					
AV Inputs	Audio		Audio Socket (3.5mm)					
Power	Power Consumption (W)	210	230	240	TBC			
	Input Voltage		AC110~240V (50Hz~60Hz)					
	Unit Size (WxHxD mm)	965x533x85.3	1097.2x627.4x85.3	1232.34x703.82x85.3	1468.6x843.6x85			
	Package Size (WxHxD mm)	1120x710x230	1250x780x230	1420x880x260	TBC			
Mechanical	VESA Holes (mm)	500	500x300 400x400					
	No. of Handles		4					
	Net Weight (kg)	22	24	31	TBC			
	Gross Weight (kg)	28	31	40	TBC			
	Surface Panel Temperature		Up to 110°C (230°F)					
	Operating Temperature		0°C to 50°C					
nvironmental	Storage Temperature		-30°C to 60°C					
	Operating Humidity		10% to 80%					
	Storage Humidity		5% to 95%					
	Media Formats	Video (MPG, A	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)					
	Media Resolution		1920x1080/1080x1920					
	CPU		Quad-Core ARM Cortex A17, 1.6GHz					
	GPU		Quad-Core ARM Mali-T764					
	RAM		DDR3 2GB					
Computer	Internal Storage	8GB eMMC						
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)						
	LAN	100M/1000M Ethernet (Network Version Only)						
	Wi-Fi	802.11b/g/n/ac (Network Version Only)						
	os		Android 7.1					
	Graphic Engine	Ope	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1					
Accessories	Included		Scheduling Software, Remote Control, User Manual					
	Optional	Network	Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand					
Warranty	Warranty Period		3 Year Warranty					
	Technical Support		Lifetime					

Errors and omissions excepted





# -A TOTAL SOLUTION -

# MADE EASY! BY SERVITISATION

# AND HERE ARE 10 SERVICES TO SUPPORT THIS:



From the moment you receive your product, throughout the duration of your warranty and even after your warranty has expired we are here to support you. If you require any assistance in setting up or using your product, or have any problems at all, we can provide free technical support via telephone and email.

Free training is provided with all of our products.

2 INSTALLATION & SET-UP



We offer a full end to end installation service including site surveys, data cabling and electrical works, installation of hardware, on-site configuration and testing. Ongoing maintenance can also be arranged where needed.

3 CONTENT CREATION



We understand that the transition into the digital signage world can place additional strain on your resources so we offer creative services. Drawing from our expansive knowledge of effective content we can create, static messaging, animated and moving playlists as well as integrating video content.

CONTENT
MANAGEMENT



We can manage your content for you and ensure that the right message is displayed on the right screen at any given time. Whether you have 1 or 500 screens in multiple locations, we have the infrastructure to support your organization.

FINANCE



Giving your business the power to grow. Our business leasing options make our solutions more affordable and more accessible. From £1,000 upwards, we will have a solution that suits your cash flow and budget.

ADVANCED REPLACEMENTS



Should your display suffer from any kind of hardware failure during the warranty period we will send you an advanced replacement and arrange for your old display to be collected, free of charge. This ensures no downtime where you are without a screen.

TESTING & CONFIGURATION



If you need us to test third party software or a website, or configure your screen in a particular way before it is dispatched (e.g. in a particular orientation or network mode), we can do so to make your life easier.

8 INNOVATION



Our R&D team continually monitors the marketplace to ensure our products are aligned with what organisations need. We continue to launch new and exciting solutions keeping us ahead of the game and our clients at the sharp end of technology.

PRODUCT RANGE & STOCK



We have the largest Digital Signage product range in the UK meaning you get to choose the perfect fit for your requirements. We also hold more stock than anywhere else in the country and can deliver many lines within 72 hours.

PROJECT SUPPORT



If you need to loan a sample unit to test we'd be more than happy to arrange this. We can also provide a rental service for temporary projects.





info@media-group.co.uk
digital-screens.co.uk

